IN RE: PETITIONS FOR SPECIAL HEARING AND VARIANCES - E/S North Point Boulevard, 809' +/- N of New Battle Grove Road 15th Election District

7th Councilmanic District

Steve Dellis, et ux

ZONING COMMISSIONER OF BALTIMORE COUNTY Case No. 88-424-SPHA

Petitioners \* \* \* \* \* \* \* \* \* \*

## SECOND AMENDED ORDER

WHEREAS, by Order dated June 10 1988 and by Amended Order dated June 17, 1988 the Petitioners were granted approval of a nonconforming use for a tavern at the subject site, and denied a variance for a side yard setback of 7 feet in lieu of the required 30 feet for a proposed addition;

WHEREAS, the Petitioners requested a 7 foot side yard setback in lieu of the required 30 foot for a proposed addition to the original structure which was larger than permitted by the 25% ground floor area restriction and the non-conforming use regulation;

WHEREAS, the Petitioners submitted a revised site plan which requests a 10 foot side yard setback in lieu of the required 30 feet for a proposed addition to the original structure which complies with the 25% ground floor area ratio restriction for a non-conforming use:

IT IS ORDERED by the Zoning Commissioner for Baltimore County this 12th day of July, 1988 that the Order dated June 10, 1988 and the Amended Order dated June 17, 1988 be and is hereby amended to GRANT a side yard setback of 10 feet in lieu of the required 30 feet for an addition to the non-conforming use tavern structure located on the subject site as more particularly described on Petitioner's Exhibit A; and

IT IS FURTHER ORDERED that all other provisions and restrictions of said Order shall remain in full force and effect.

for Baltimore County

IN RE: PETITIONS FOR SPECIAL HEARING AND VARIANCES - E/S North Point \* ZONING COMMISSIONER Boulevard, 809' +/- N of New Battle Grove Road \* OF BALTIMORE COUNTY 15th Election District 7th Councilmanic District \* Case No. 88-424-SPHA Steve Dellis, et ux Petitioners . . . . . . . . . .

## AMENDED ORDER

WHEREAS, by Order dated June 10, 1988 the Petitioners were granted approval of a nonconforming use for a tavern at the subject site, and denied a variance for a side yard setback of 7 feet in lieu of the required 30 feet for a proposed addition;

WHEREAS, the Findings of Facts and Conclusions of Law in said Order identified the subject property as being located at 4014-4016 North

WHEREAS, pursuant to a telephone call received from Mrs. Greenwood, a current tenant of the subject property, this Office was advised that the Order incorrectly identified the address of the subject

IT IS ORDERED by the Zoning Commissioner for Baltimore County this \_\_\_\_\_\_\_ day of June, 1988 that the Order dated June 10, 1988 be and is hereby amended to identify the address of the subject property as being 4020 North Point Boulevard; and

IT IS FURTHER ORDERED that all other provisions and restrictions of said Order shall remain in full force and effect.

for Baltimore County

IN RE:Petitions for Zoning Variance and Special Hearing

ZONING COMMISSIONER ES North Point Blvd. 809' +/-N New Battle Grove Rd. \* OF BALTIMORE COUNTY 15th Election District 7th Councilmanic District \* CASE # 88-424-SPHA

Steve Dellis, et ux Petitioners

\*\*\*\*\*

## FINDINGS OF FACTS AND CONCLUSIONS OF LAW

The Petitioner herein requests, pursuant to a Petition for Special Hearing, approval of the existence of a tavern as a nonconforming use on the subject site and a Petition for Zoning Variance to Section 255.1 (238.2) to permit a side yard setback of 7 feet in lieu of the required 30 feet, all of which is more particularly described on Petitioner's Exhibit #1.

The Petitioner appeared and testified and was represented by attorney Franklin J. Kolbe, Esquire. Mr. Greenwood, witness for the Petitioner, also testified. There were no Protestants.

The testimony and evidence tend to indicate that the subject property is located at 4014-4016 North Point Boulevard. The property is zoned M.L. CSI and has an existing tavern of 2,071 sq. ft. located along the road frontage towards the north property boundary. The Petitioner claims that the original tavern was developed at this location approximately 1953. That the tavern predates the 1971 Baltimore County Zoning Regulations (B.C.Z.R.) which changed the right of a tavern to be located in the M.L. zone. Mr. Greenwood testified that he has personally frequented this location or has worked at this location since prior to 1959. The subject tavern is indicated on the site plans in, zoning case #65-112RX, which dealt with an adjoining

Baltimore County Zoning Commissioner Office of Planning & Zoning Towson, Maryland 21204 194-3353 J. Robert Haines



Franklin J. Kolbe, Esquire 532 B Allegheny Avenue Towson, Maryland 21204

> RE: Petitions for Special Hearing and Zoning Variance Case No. 88-424-SPHA

Dear Mr. Kolbe:

Pursuant to the recent hearing held on the above captioned case, please be advised that your Petitions for Special Hearing and Zoning Variance have been Granted in part and DENIED in part, copy of which is attached hereto.

If you have any questions concerning the above matter, please do not hesitate to contact this office.

Very truly yours,

CC: Peoples Counsel

The testimony concerning the requested variances and the proposed expansion of this property are quite another matter. Specifically, the proposed addition requests a ground floor expansion which is in direct contradiction to Section 104 of the B.C.Z.R. Therefore, the Petition for Zoning Variance must be denied and this Order must be restricted so that the Petitioners shall not expand this nonconforming use beyond the permissible parameter set forth in the B.C.Z.R.

Pursuant to the advertisement, posting of the property, and public hearing on this Petition held, in the opinio.. of the Zoning Commissioner, the requested variance should be denied.

THEREFORE, IT IS ORDERED by the Zoning Commissioner of Baltimore County this 10 day of June, 1988 that the Petition for Special Hearing for approval of a nonconforming use for a tavern on the subject site be and is hereby GRANTED, and a Petition for Zoning Variance to permit a side yard setback of 7 feet in lieu of the required 30 feet be and is hereby DENIED, subject to the following restrictions:

> 1. The Petitioner shall not expand, at all, the size of any structure upon the subject site without amending the Order in this matter. That no expansion above and beyond the 25% permitted in Section 104 shall be granted.

> > OF BALTIMORE COUNTY

JRH:mmn cc: Peoples Counsel

buildings, structure, or parcel of land shall hereafter be extended more than 25% of the ground floor area of buildings so used." (B.C.Z.R., 1955, Bill No. 18, 1976)

A nonconforming use is defined further in Section

"Nonconforming Use: A legal use that does not conform to a use regulation for the zone in which it is located or to a special regulation applicable to such a use. A specifically named use described by the adjective "nonconforming" is a nonconforming use." (B.C.Z.R., 1955; Bill No. 18, 1976.)

Clearly, the nonconforming requirements as set forth in the 1955 regulations applied to this case as a nonconforming use after 1971. The nonconforming section specifically states that a building may not be extended more than 25% of its ground floor area for the use which is nonconforming. The expansion requested for this project is in contradiction to the specific statutory requirements for a nonconforming use and the expansion of the ground floor.

A variance cannot be granted to the 25% floor area expansion rule. The variance cannot change the definition of the use (i.e. nonconforming) without being an illegal use variance. As a use variance, it is outside the power of the Zoning Commissioner to grant.

The evidence, clearly, demonstrates that this tavern has been in existence since prior to 1971. The evidence, which is uncontradicted, indicates that this tavern has existed since approximately 1959 and that its existence until 1971 was permitted as a matter of right.

Based upon the evidence and testimony in the record, the Petition for Special Hearing for approval of a nonconforming use for a tavern on the subject site should be granted.

property.

The Petitioner provided affidavits which were accepted as Petitioner's Exhibits 2, 3 and 4. They indicate that the subject property has been used as a tavern since approximately 1959. That the evidence indicates the property was, prior to 1971, used as a tavern. There was also a caretaker's residence attached to the rear of the tavern. That in 1971, Baltimore County Council removed from the M.L. zoning all of the uses permitted, as a matter of right, in the B.R. and B.L. zones. This had previously permitted taverns in the M.L. zone.

The Petitioner intends to expand the floor area of the existing tavern. They wish to place an addition on the north side of the existing tavern facility approximately 17 x 49 feet. The site plan indicates that the proposed addition is 829 sq. ft. which is argued by the Petitioner as an acceptable and necessary enlargement of this tavern in order to promote the ongoing bar business. The Petitioner testified to his opinions concerning Section 307 of the B.C.Z.R. However, he offered no specific testimony for his reasons or beliefs concerning any of those requirements.

A nonconforming use is established in the B.C.Z.R. at Section

"A nonconforming use (as defined in Section 101) may continue except as otherwise specifically provided in these Regulations; provided that upon any change from such nonconforming use to any other use whatsoever, or any abandonment or discontinuance of such nonconforming use for a period of one year or more, or in case any nonconforming business or manufacturing structure shall be damaged by fire or other casualty to the extent of seventy-five (75%) percent of its replacement cost at the time of such loss, the right to continue or resume such nonconforming use shall terminate. No nonconforming building or structure and no nonconforming use of a

date

PETITION FOR ZONING VARIANCE TO THE ZONING COMMISSIONER OF BALTIMORE COUNTY: The undersigned, legal owner(s) of the property situate in Baltimore County and which is described in the description and plat attached hereto and made a part hereof, hereby petition for a Variance from Section 255.1 (238.2) to permit a sideyard setback of 7 feet in lieu of the required 30 feet. of the Zoning Regulations of Baltimore County, to the Zoning Law of Baltimore County; for the following reasons: (indicate hardship or practical difficulty) 1. The addition is required to provide additional area (storage, etc.) fbr 2. The existing building has existed prior to 1971 and is already located 1-5-89 closer to the side property line than the current zoning woold permit. 3. This is the most practical side for the addition. 4. For other reasons to be determined at the hearing. 1000 BF Property is to be posted and advertised as prescribed by Zoning Regulations. I, or we, agree to pay expenses of above Variance advertising, posting, etc., upon filing of this petition, and further agree to and are to be bound by the zoning regulations and restrictions of Baltimore County adopted pursuant to the Loning Law For Baltimore County. I/We do solemnly declare and affirm, under the penalt'es of perjury, that I/we are the legal owner(s) of the property which is the subject of this Petition. Contract Purchaser: Legal Owner(s): Steve Dellis (Type or Print Name) (Type or Print Name) Stur Dellia Signature MARCELLAW Dellis City and State 200 Crickett Ct. 252-2022 (Type or Print Name)

Address
Phone No.

Manhlin filollie

Luth-Turinium, 2/093

Signature

City and State

Md Name, address and phone number of legal owner, con-tract purchaser or representative to be contacted NICHOLAS COMMODIAN Attorney's Telephone No.: (201) 296-3843 3607 BONVIEW Avr. 21213 day of Cycil, 19 St, at 10 o'clock ESTIMATED LENGTH OF HEARING -1/2HR.

AVAILABLE FOR HEARING MON./TUES./WED. - NEXT TWO MONTHS BALTIMORE COUNTY, MARYLAND INTER-OFFICE CORRESPOND Mr. J. Robert Haines TO Zoning Commissioner P. David Fields FROM Director of Planning and Zoning SUBJECT Zoning Petition Nos. 88-429-SpH, 88-424-SpHA In view of the subject of this petition, this office offers no comment. P. David Fields per l'Houvell P. David Fields cc: Ms. Shirley M. Hess, Legal Assistant, People's Counsel File

The undersigned, legal owner(s) of the property situate in Baltimore County and which is described in the description and plat attached hereto and made a part hereof, hereby petition for a Special Hearing under Section 500.7 of the Baltimore County Zoning Regulations, to determine whether or not the Zoning Commissioner and/or Deputy Zoning Commissioner should approve --- the existing tavern as a nonconforming use. Property is to be posted and advertised as prescribed by Zoming Regulations. I, or we, agree to pay expenses of the above Special Hearing advertising, posting, etc., upon filing of this Petition, and further agree to and are to be bound by the zoning regulations and restrictions of Baltimore County adopted pursuant to the Zoning Law for Baltimore County. I/We do solemnly declare and affirm, under the penalties of perjury, that I/we are the legal owner(s) of the property which is the subject of this Petition. LUTH-TIM 21093 MJ Name, address and phone number of legal owner, con-tract purchaser or representative to be contacted NICHOLAS COMMODERI 3607 BONVIEW RUE. 212-13 , 19\_\_\_\_, that the subject matter of this petition be advertised, as required by the Zoning Law of Baltimore County, in two newspapers of general circulation throughout Baltimore County, that property be posted, and that the public hearing be had before the Zoning Commissioner of Baltimore County in Room 106, County Office Building in Towson, Baltimore Z.C.O.-No. 1 ESTIMATED LENGTH OF HEARING -1/2HR.

AVAILABLE FOR HEARING MON./TUES./WED. - NEXT TWO MONTHS · CANALATAN BALTIMORE COUNTY OFFICE OF PLANNING & ZONING County Office Building 111 W. Chesapeake Avenue Towson, Maryland 21204 Your petition has been received and accepted for filing this day of February , 1988. Petitioner's Advisory Committee

PETITION FOR SPECIAL HEARING TO THE ZONING COMMISSIONER OF BALTIMORE COUNTY:

Phone: 687-6922 Registered Land Surveyor 1277 NEIGHBORS AVE. - BALTIMORE, MD. 21237 January 30, 1988 Gail's Tavern North Point Blvd. 15th District Baltimore County, Maryland to the place of beginning. Containing 2.87 acres of land more or less. March 31, 19 88 J. ROBERT HAINES
Zoning Commissioner of
Baltimore County
3404 Mar. 31. 433.75

Posted for: 19/10nce + Special Herring

Petitioner: Stere De Mis of ux

Location of property: ES/No. PK. Blvd. 809' N/Now Both, Grows Rd.

Location of Signs: Focing Na Pr. Blad, opens, 30' Fr no dway

FRANK S. LEE, Beginning for the same on the northeast side of North Point Blvd. at the distance of 803 feet more or less measured northwesterly along the northeast side of North Point Blvd. from the northwest side of New Battle Grove Road, and thence running and binding on the northeast side of North Point Blvd, North 22 degrees 38 minutes West 200 feet, thence running for three lines of division as follows: North 67 degrees 22 minutes East 592.90 feet, South 41 degrees 09 minutes East 219.36 feet and South 67 degrees 22 minutes West 659.88 feet "DUPLICATE" CERTIFICATE OF PUBLICATION TOWSON, MD., Murch 31, 1988 THIS IS TO CERTIFY, that the annexed advertisement was published in THE JEFFERSONIAN, a weekly newspaper printed and published in Towson, Baltimore County, Md., appearing on THE JEFFERSONIAN, Gusan Sender Obrect CERTIFICATE OF POSTING ZONING DEPARTMENT OF BALTIMORE COUNTY 88- H14-SPEA

Baltimore County Zoning Commissioner
Office of Planning & Zoning Towson, Maryland 21204 494-3353

J. Robert Haines

Mr. & Mrs. Steve Dellie 200 Crickett Court Lutherville, Maryland 21093

Res Petitions for Zoning Variance and Special Hearing Case numbers 88-424-SPHA ES Worth Point Blvd., 2021 # N Hew Battle Grove Road 15th Election District - 7th Councilmanic District Petitioner(e): Steve Dellie, et ux HEARING SCHEDULED: WEDNESDAY, APRIL 20, 1988 at 10:00 a.m.

Deer Mr. & Are. Dellis:

Please be advised that 16475 is due for advertising and posting of the above-referenced property. All fees must be paid prior to the hearing. Do not remove the sign and post set(s) from the property from the time it is posted by this office until the day of the hearing itself.

THIS FEE MUST BE PAID AND THE ZONING SIGN(S) AND POST(S) RETURNED ON THE DAY OF THE HEARING OR THE ORDER SHALL NOT BE ISSUED.

BALTIMORE COUNTY Check payable to Baltimore Count	v. Maryland and but
BALTIMORE COUNTY, MARYLAND OFFICE OF FINANCE - REVENUE DIVISION MISCELLANEOUS CASH RECEIPT  No. 50516	Office, County Office, 15) minutes before
PATE 4/20/88 ACCOUNT R-01-615-000	and post set(s), the for each set not
RECEIVED Stene Delli, et u	urs,
rom Josling Wester. 4/20/88 hearing	haines NES
VALIDATION OR SIGNATURE OF CASHIER	ssioner of
cor Franklin J. Kolbe, Jr.	-

Baltimore County Zoning Commissioner
Office of Planning & Zoning
Towson, Maryland 21204

J. Robert Hainer

MAR. 0 3 1988

NOTICE OF HEARING

The Zoning Commissioner of Baltimore County, by authority of the Zoning Act and Regulations of Baltimore County will hold a public hearing on the property identified herein in Room 106 of the County Office Building, located at 111 W. Chesapeake

Patitions for Zoning Variance and Special Hearing Case numbers 88-424-5PHA Ei North Point Blud., 302's b New Settle Grove Road 13th Election District - 7th Councilsanic District Patitioner(s): Stave Dellia, at ux MEARING SCHEDULED: MEDRESDAY, APRIL 20, 1958 at 10:00 m.m.

Varience to permit a sideyerd setbeck of 7 feet in lieu of the required Special Hearing: The existing towern as a nanconferming use.

In the event that this Petition is granted, a building permit may be issued within the thirty (30) day appeal period. The Zoning Commissioner will, however, entertain any request for a stay of the issuance of said permit during this period for good cause shown. Such request must be in writing and received in this office by the interest of the hearing set above or presented at the hearing.

J. Robert Haines J. RUBERT HAINES Zoning Commissioner of
Baltimore County

Standard Commedent

Franklin J. Melhe, Esc.

Ss. 1 Mrs. Owllis

with the above-referenced petition. The following comments are not intended to indicate the appropriateness of the zero ction requested, but to assure that all parties are made aware of plans or Department of Traffic Engineering State Roads Commissio problems with regard to the development plans that may have a bearing on this case. The Director of Planning may file a written report with the Zoning Commissioner with recommendations as to the suitability of Health Department the requested zoning. Project Planning Enclosed are all comments submitted from the members of the Committee at this time that offer prequest information on your petition. If **Building Department** Board of Education similar comments from the remaining members are received, I will for-Zoning Administration ward them to you. Otherwise, any comment that as not informative will Industrial be placed in the hearing file. This petition was accepted for filing on the date of the enclosed filing certificate and a hearing scheduled accordingly. Very truly yours, Daniel E. Dyer/dt JAMES E. DYER Chairman Zoning Plans Advisory Committee Enclosures Ap. Robert Haines

Zoning Commissioner

111 W. Clesapeake Ave.

Towson, MD. 21204

7/4/88

7/4/88

7/4/88

Dellis

7/4/88 Dear Mr. Haines Please enter an appeal on the above referenced matter on bilalf of the tenant of the property,

Mr. Terry Greenwood. He is my appealing the variance portion of the petition. No. 52836 BALTIMORE COUNTY, MARYLAND OFFICE OF FINANCE - REVENUE DIVISION MISCELLANEOUS CASH RECEIPT CCOUNT R-01-615-000 PROMITED NICHOLAS 8. COMMODARI - 3607 FOR APPEAL FILING - CATE # 88-424-504A

STEVE DELLIS, C+ WK - PETITIONERS B 032\*\*\*\*\*\*9000:a 2132F VALIDATION OR SIGNATURE OF CASHIER

BALTIMORE COUNTY ZONING PLANS ADVISORY COMMITTEE

Franklin J. Kolbe, Esquire

532-B Allegheny Avenue

Den Mr. Kolbe:

Towson, Maryland 21204

COUNTY OFFICE BLDG.

Bureau of

Engineering

owson, Maryland 2120


April 14, 1988

RE: Item No. 279 - Case No. 88-424-SPHA

The Zoning Plans Advisory Committee has reviewed the plans submitted

Petitioner: Steve Dellis, et ux

Petition for Special Hearing and Variance



RAILTINGS COUNTY DEPACTORS OF ENVIRONMENT PRINTS AND AND RESOURCE MANAGEMENT PRINTS AND		
EALTINGS COURT DEPARTMENT OF ENVIRONMENTAL PROPERTY OF THE ARMS AND		
DALITORIE COUNTY DEPARTMENT OF ENVIRONMENTAL PARTIES OF ANY PROPERTY OF THE ANY PARTIES OF ANY P		DESIDENCE OF THE PROPERTY OF T
BAILTINGS COUNT DEPARTENT OF ENVIRONMENTAL STATES AND ADMINISTRATION OF PROPERTY OF PROPERTY OF STATES AND ADMINISTRATION OF PROPERTY OF PROPERTY OF STATES AND ADMINISTRATION OF PROPERTY OF P		
BAILTINGS COUNTY DEPARTEMY OF ENVIRONMENTAL PROPERTY OF CONTROLLING TO PLANT AND RESOURCE MANAGEMENT AND A STATE OF THE ADMINISTRATION OF CONTROLLING TO PLANT AND RESOURCE MANAGEMENT AND RESOURCE MA		
BAITEORIE COUNTY DEPARTMENT OF ENVIRONMENTAL EXPENSION AND RESOURCE MANAGEMENT AND ACCIDENT AND ACCID		TOTAL TOTAL STOCK
BAITEORIE COUNTY DEPARTMENT OF ENVIRONMENTAL EXPENSION AND RESOURCE MANAGEMENT AND ACCIDENT AND ACCID		
EALTHONG COUNTY DEPARTMENT OF ENVIRONMENTAL PROPERTY AND ASSOCIATION AND RESOURCE MANAGEMENT AND ASSOCIATION ASSOCIATI		
BALTIFYING COUNTY DEPARTMENT OF ENVIRONMENTAL PROPERTY OF PROVERCY OWNERS AND AND RESOURCE MANAGEMENT OF PROVIDENCE AND AND AND RESOURCE MANAGEMENT OF PROVIDENCE AND AND AND AND RESOURCE MANAGEMENT OF PROVIDENCE AND		
RALITINGS COUNTY DEPARTMENT OF ENVIRONMENTAL FORTERS of PLANT STATES AND AND RESOURCE MANAGEMENT OF ENVIRONMENTAL FORTERS OF THE STATES AND AND RESOURCE MANAGEMENT OF PROVIDED TO THE STATES OF THE S		
RALITINGS COUNTY DEPARTMENT OF ENVIRONMENTAL FORTERS of PLANT STATES AND AND RESOURCE MANAGEMENT OF ENVIRONMENTAL FORTERS OF THE STATES AND AND RESOURCE MANAGEMENT OF PROVIDED TO THE STATES OF THE S		
BALTIMORE COUNTY DEPARTMENT OF ENVIRONMENTAL FORCE AND		The state of the s
BAILTIMES COUNTY DEPARTMENT OF ENVIRONMENTAL PROPERTY OF THE P	T	EX. PARKING
BAILTIMES COUNTY DEPARTMENT OF ENVIRONMENTAL PROPERTY OF THE P		
BAILTIMAGE COUNTY DEPARTMENT OF ENVIRONMENTAL FOREST AND AND AND ASSOCIATED TO THE PROPERTY OF		
BAILTINGSE COUNTY DEPARTMENT OF ENVIRONMENTAL PROPERTY OF THE		
BAILTIMAGE COUNTY DEPARTMENT OF ENVIRONMENTAL FERENCE OF PROPERTY OF THE PROPE		
BAILTIMES COUNTY DEPARTMENT OF ENVIRONMENTAL PROPERTY OF THE P		PART OF THE PROPERTY OF THE PR
Zoning Commissioner Office of Planning and Zoning County Office Bullating Towson, Maryland 21206 Zoning Item # 2.79, Zoning Advisory Committee Meeting of February 16, 1985 Property Owner: Stave Dell's of May Location: En Neut that for Not at Bullating Forest May Location: En Neut that for Not at Bullating Forest May Location: En Neut that for Not at Bullating Forest May The Commissioner The Com		PRAY TIPE
Zoning Commissioner Office of Planning and Zoning County Office Bullding Towson, Maryland 21204 Zoning Item \$279, Zoning Advisory Committee Meeting of February 16, 1988 Property Owner: Steve Dellis of ax Location: Fine Party Owner: Steve Section, Bureau of Rejonal Community Services, for final revi and approval.  (V) First to approval of a Building Perait for construction, renovation and/or installation of equipment of processes, underground gasoline storage tanks (5,000 gallons or sore) and any other appropriate of the Party Owner Section, Bureau of Air Quality Management is required for any charboril  (I) A perait to construct from the Bureau of Air Quality Management is required for any charboril  (I) A perait to construct from the Bureau of Air Quality Management is required for any charboril  (I) First to approval of a Building Perait Application for renovations to axisting or construction  (I) First to approval of a Building Perait Application for renovations to axisting or construction  (I) First to approval of a Building Perait Application for renovations to axisting or construction  (I) First to approval Section, Bureau of Air Quality Management is required for any charboril  (I) First to approval for a building Perait Application for renovations to axisting or construction  (I) First to approval Section, Bureau of Air Quality Management is required for axis and paperal parameters of Approval Section, Bureau  (I) First to any sex construction or substantial alteration of public symming pool, washing parameters of a public parameters of a public parameters of a public parameters of a publ		DE CURP CONTRACTOR OF THE PROPERTY OF THE PROP
Zoning Commissioner Office of Planning and Zoning County Office Bullding Towson, Maryland 21204 Zoning Item \$279, Zoning Advisory Committee Meeting of February 16, 1988 Property Owner: Steve Dellis of ax Location: Fine Party Owner: Steve Section, Bureau of Rejonal Community Services, for final revi and approval.  (V) First to approval of a Building Perait for construction, renovation and/or installation of equipment of processes, underground gasoline storage tanks (5,000 gallons or sore) and any other appropriate of the Party Owner Section, Bureau of Air Quality Management is required for any charboril  (I) A perait to construct from the Bureau of Air Quality Management is required for any charboril  (I) A perait to construct from the Bureau of Air Quality Management is required for any charboril  (I) First to approval of a Building Perait Application for renovations to axisting or construction  (I) First to approval of a Building Perait Application for renovations to axisting or construction  (I) First to approval of a Building Perait Application for renovations to axisting or construction  (I) First to approval Section, Bureau of Air Quality Management is required for any charboril  (I) First to approval for a building Perait Application for renovations to axisting or construction  (I) First to approval Section, Bureau of Air Quality Management is required for axis and paperal parameters of Approval Section, Bureau  (I) First to any sex construction or substantial alteration of public symming pool, washing parameters of a public parameters of a public parameters of a public parameters of a publ		
Zoning Commissioner Office of Planning and Zoning County Office Bullding Towson, Maryland 21204 Zoning Item \$2.79, Zoning Advisory Committee Meeting of February 16, 1988 Property Owner: Steve Dall's of ax Location: Fanfait that for Not Reliable County Office Bullding Towson, Maryland 21204 Zoning Item \$2.79, Zoning Advisory Committee Meeting of February 16, 1988 Property Owner: Steve Dall's of ax Location: Fanfait that for Not Reliable County Color Water Supply Serve Dall's of ax Location: Fanfait that for Not Reliable County Five to approve of a Building Permit for construction, renovation and/or installation of equipme for any sminting or proposed food service facility, complete plans and specifications must submitted to the Plans Review Section, Bureau of Reliable County Services, for final revi and approval.  (1) Prior to new installation/s of fuel burning equipment, the owner shall contact the Bureau of A Quality Management, 494-3775, to obtain requirements for such installation/s before work begin and approval.  (2) A permit to construct from the Bureau of Air Quality Management is required for any charboral george point processes, underground gasoline storage task/s (5,000 gallons or sore) and any oth george port processes, underground gasoline storage task/s (5,000 gallons or sore) and any oth george port processes, underground gasoline storage task/s (5,000 gallons or sore) and any oth george port processes, underground gasoline storage task/s (5,000 gallons or sore) and any oth george port processes, underground gasoline storage task/s (5,000 gallons or sore) and approval  (3) A permit to construct from the Bureau of Air Quality Management is required for any charboral george port processes, underground gasoline storage task/s (5,000 gallons or sore) and any other processes, underground storage construction for resovations to sainting or construction for new basile care facilities, complete plans and specifications on sore) and any other leads and provide and Approval Section, Burea Health and Mental		
Zoning Commissioner Office of Planning and Zoning County Office Bullding Towson, Maryland 21204 Zoning Item \$279, Zoning Advisory Committee Meeting of February 16, 1988 Property Owner: Steve Dell's of ax Location: 42 New York Dell's of ax Location: 42 New York Dell's of ax Location: 43 New York Dell's of ax Location: 44 New York Dell's of ax Location: 45 New York Dell's Oxfort		TELEMENT.
Zoning Commissioner Office of Planning and Zoning County Office Bullding Towson, Maryland 21204 Zoning Item \$279, Zoning Advisory Committee Meeting of February 16, 1988 Property Owner: Steve Dell's of ax Location: 42 New York Dell's of ax Location: 42 New York Dell's of ax Location: 43 New York Dell's of ax Location: 44 New York Dell's of ax Location: 45 New York Dell's Oxfort		
Zoning Commissioner Office of Planning and Zoning County Office Bullating Towson, Maryland 21206 Zoning Item # 2.79, Zoning Advisory Committee Meeting of February 16, 1985 Property Owner: Stave Dell's of May Location: En Neut that for Not at Bullating Forest May Location: En Neut that for Not at Bullating Forest May Location: En Neut that for Not at Bullating Forest May The Commissioner The Com	74-1-0-4	
Frior to approval of a Building Permit for construction, renovation and/or installation of equipme for any axisting or proposed food service facility, complate plans and specifications must submitted to the Plans Paview Section, Bureau of Regional Community Services, for final revisual approval.  () Prior to new installation/s of fuel burning equipment, the owner shall contact the Bureau of A Quality Management, 494-3775, to obtain requirements for such installation/s before work begin Quality Management, 494-3775, to obtain requirements for such installation/s before work begin of the prior of the prior of the food service of the prior of the food service of the building, food service of new health care facilities, complete plans and specifications of the building, food service of new health care facilities, complete plans and specifications of the building, food service of new health care facilities, complete plans and specifications of the building, food services, and the food service operation with such as a service of the food service operation with such as a food of the food service operation with such such such services and approval.  () Prior to any new construction or substantial elteration of public swimsing pool, wading pool bathhouse, saumas, whithpools, hot tubs, water and severage facilities or other appurtenance pertaining to health and safety; two (2) copies of plans and specifications must be substitute to the Baltimore County Department of Emvironmental Protection and Resource Management for revice and approval. For more complete information, contact the Bacreational Hygiene Section, Burea of Regional Community Services, 494-376.  () Prior to approval for a nursery school, owner or applicant must comply with all Baltimore Count of Regional Community Services, 494-376.  () Prior to realing deciring structure/s, petitioner must comply with all Baltimore County Complete and Service of Sections of Sections of Formation	Towson, Zoning I Property Location Water Su	Maryland 21204  tem # 279, Zoning Advisory Committee Meeting of February 16, 1988  Owner: Steve Dellis et ax  Els N. Peist Blud. 309' N of Battle Grove Rd. District 15  pply Metro Sewage Disposal metro
for any existing or proposed food service facility, complete plans and specifications must submitted to the Plans Review Section, Bureau of Regional Community Services, for final review and approval.  () Prior to new installation/s of fuel burning equipment, the owner shall contact the Bureau of A Quality Management, 494-3775, to obtain requirements for such installation/s before work begin () A permit to construct from the Bureau of Air Quality Management is required for such items appray paint processes, underground gasoline storage tank/s (5,000 gallons or more) and any oth equipment or process which schmausts into the atmosphere.  () A permit to construct from the Bureau of Air Quality Management is required for any charbroil operation which has a total cooking surface area of five (3) square feet or more.  () Prior to construct from the Bureau of Air Quality Management is required for any charbroil operation which has a total cooking surface area of five (3) square feet or more.  () Prior to approval of a Building Permit Application for renovations to casting or construction for bealth care facilities, complete plans and specifications of the building, food services area and proval.  () Prior to any new construction or substantial elteration of public swimming pool, vading pool bathhouse, saumas, whitipools, hot tubs, water and severage facilities or other appurtament pertaining to health and safety; two (2) copies of plans and specifications must be substitute to the Baltimore County Department of Engineering and Maintenance, State Department for revia and approval. For more complete information, contact the Bacrestional Hygiene Section, Burea of Regional Community Services, 494-376.  () Prior to approval for a nursery school, owner or applicant must comply with all Baltimore Count regulations. For more complete information, contact the Division of Maternal and Child Health (1) If lubrication work and oil changes are performed at this location, the method prior to ranking for the slitantion of vaste oil m	COMMENTS ( ) Pr	ARE AS FOLLOWS: ior to approval of a Building Permit for construction, renovation and/or installation of equipment
Quality Management, 494-3775, to obtain requirements for such installation/s before work begin  ( ) A permit to construct from the Bureau of Air Quality Management is required for such items apray paint processes, underground gasoline atorage tank/s (5,000 gallons or more) and any oth equipment or process which exhausts into the atmosphere.  ( ) A permit to construct from the Bureau of Air Quality Management is required for any charbroil operation which has a total cooking surface area of five (5) aquare feet or more.  ( ) Prior to approval of a Building Permit Application for removations to existing or construction are and type of equipment to be used for the food service operation sum to be submitted to it Plans Review and Approval Section, Division of Engineering and Maintenance, State Department. Health and Mental Hygiene for review and approval.  ( ) Prior to any new construction or substantial elevation of public swimming pool, wading pool bathhouse, saumas, whiripools, hot tubs, water and severage facilities or other appurtenance pertaining to health and safety; two (2) copies of plans and specifications must be submitted to the Baltimore County Department of Environmental Protection and Resource Management for review and approval. For more complete information, contact the Eccretional Hygiene Section, Bures of Regional Community Services, 494-3811.  ( ) Prior to approval for a nursary school, owner or applicant must comply with all Baltimore Count regulations. For more complete information, contact the Division of Maternal and Child Realt elimination of waste oil must be in accordance with the State Department of the Earlymoment.  ( ) Prior to razing of existing structure/s, petitioner must contact the Division of Maternal and Child Realt elimination of waste oil must be in accordance with the contents removed by a licensed hauler and tank removed from the property or properly backfilled Prior to removal or abendoment, owner must contact the Division of Maste Management at 494-1768, regarding removal an	for all	r any existing or proposed food service facility, complete plans and specifications must be buitted to the Plans Review Section, Bureau of Regional Community Services, for final review d approval.
spray paint processes, underground gasoline storage tank/e (5,000 gallons or more) and any oth equipment or process which exhausts into the atmosphere.  ( ) A permit to construct from the Bureau of Air Quality Management is required for any charbroil operation which has a total cooking surface area of five (5) square feet or more.  ( ) Prior to approval of a Bullding Permit Application for removations to existing or construction new health care facilities, complate plans and specifications of the building, food service area and type of equipment to be used for the food service operation sust be submitted to it plans Review and Approval Section, Division of Engineering and Maintenance, State Department. Health and Mental Hygiene for review and approval.  ( ) Prior to any new construction or substantial alteration of public swimming pool, wading pool bathhouse, saumas, whirlpools, hot tubs, water and severage facilities or other appurtenance pertaining to health and safety; two (2) copies of plans and specifications sust be submitted to the Baltimore County Department of Environmental Protection and Resource Management for review and approval. For more complete information, contact the Excressional Hygiene Section, Bures of Regional Community Services, 494-3811.  ( ) Prior to approval for a nursery school, owner or applicant must comply with all Baltimore Count regulations. For more complete information, contact the Division of Maternal and Child Realti of Individual Section of waste of the Environment.  ( ) Prior to razing of existing structure/s, petitioner must contact the Division of Waste Management at 494-3768, regarding removal and/or disposal of potentially hazardous materials and solid wastes Petitioner must contact the Bureau of Air Quality Management regarding removal of absents, 494-3776  ( ) Any abandoned underground storage tanks containing gasoline, waste oil, solvents, etc., must he contents removal of abandoment, owner must contact the Division of Waste Management at 494-3766  ( ) The results are	Q	ality Management, 494-3775, to obtain requirements for such installation/s before work begins.
operation which has a total cooking surface area of five (5) square feet or more.  ( ) Prior to spproval of a Building Permit Application for renovations to existing or construction of new health care facilities, complete plans and specifications of the building, food service of new health care facilities, complete plans and specifications of the building, food service area and type of equipment to be used for the food service operation must be submitted to the plans Review and Approval Section, Division of Engineering and Maintenance, State Department of Health and Mental Hyglene for review and approval.  ( ) Prior to any new construction or substantial elteration of public swimming pool, wading pool bathhouse, saunas, whirlpools, hot tubs, water and sewerage facilities or other appurtenance pertaining to health and safety; two (2) copies of plans and specifications must be submitted to the Baltimore County Department of Environmental Protection and Resource Hanagement for review and approval. For more complete information, contact the Envision of Maternal and Child Health ( ) If lubrication work and oil changes are performed at this location, the method providing for the elimination of waste oil must be in accordance with the State Department of the Environment.  ( ) Prior to razing of existing structure/s, petitioner must contact the Division of Waste Management at 494-7768, regarding removal and/or disposal of potentially hazardous materials and solid wastes Petitioner must contact the Bureau of Air Quality Management regarding removal of asbestos, 494-377.  ( ) Any abandoned underground storage tanks containing gasoline, waste oil, solvente, etc., must have the contents removed by a licensed hauler and tank removed from the property or properly backfilled Prior to removal or abandomment, owner must contact the Division of Waste Management at 494-3766 ( ) Soil percolation tests, have been property and the property on property and the property of building Perait Applications.  ( ) The results are to be used	######################################	rsy paint processes, underground gasoline storage tank/s (5,000 gallons or more) and any other uipment or process which exhausts into the atmosphere.
area and type of equipment to be used for the food service operation must be submitted to the Plans Review and Approval Section, Division of Engineering and Maintenance, State Department of Plans Review and Approval Section, Division of Engineering and Maintenance, State Department of Plans Review and Mental Hygiene for review and approval.  ( ) Prior to any new construction or substantial elteration of public swimming pool, wading pool bathhouse, saumas, whirlpools, hot tubs, water and severage facilities or other appurtenance pertaining to health and safety; two (2) copies of plans and specifications must be submitted to the Baltimore County Department of Environmental Protection and Resource Management for review and approval. For sore complete information, contact the Recreational Hygiene Section, Burer of Regional Community Services, 494-3811.  ( ) Prior to approval for a nursery school, owner or applicant must comply with all Baltimore Count regulations. For more complete information, contact the Division of Maternal and Child Realt!  ( ) If lubrication work and oil changes are performed at this location, the method providing for the elimination of wasts oil must be in accordance with the State Department of the Environment.  ( ) Prior to razing of existing structure/s, petitioner must contact the Division of Maternal and Solid waster Petitioner must contact the Bureau of Air Quality Management regarding removal of ambestos, 494-377.  ( ) Any abendoned underground storage tanks containing gesoline, waste oil, solvents, etc., must he contents removed by a licensed hauler and tank removed from the property or properly backfilled Prior to removal or abendoment, owner must contact the Division of Waste Management at 494-3768.  ( ) Soil percolation tests, have been, must be, conducted.  ( ) The results are valid until, south percolation tests results have expired. Petitioner should contact the Division of Water and Sewer to determine whether additional tests are required.  ( ) Mere water well	Op August ( ) Pr	eration which has a total cooking surface area of five (5) square feet or more. for to approval of a Building Permit Application for renovations to existing or construction
Health and Mental Hygiene for review and approval.  ( ) Prior to any new construction or substantial alteration of public swimming pool, wading pool bathhouse, saunas, whirlpools, hot tubs, water and sewerage facilities or other appurtenance pertaining to health and safety; two (2) copies of plans and specifications must be submitted to the Baltimore County Department of Environmental Protection and Resource Management for review and approval. For more complete information, contact the Recrestional Hygiene Section, Bures of Regional Community Services, 494-3811.  ( ) Prior to approval for a nursery school, owner or applicant must comply with all Baltimore Count regulations. For more complete information, contact the Division of Maternal and Child Health ( ) If lubrication work and oil changes are performed at this location, the method providing for the elimination of waste oil must be in accordance with the State Department of the Environment.  ( ) Prior to razing of existing structure/s, petitioner must contact the Division of Waste Management at 494-3768, regarding removal and/or disposal of potentially hazardous materials and solid wastee Petitioner must contact the Division of Waste Management at 494-3768 regarding removal and/or disposal of potentially hazardous materials and solid wastee Petitioner must contact the Division of Waste Management at 494-3768 ( ) Any abandoned underground storage tanks containing gasoline, waste oil, solvents, etc., must have the contents removed by a licensed hauler and tank removed from the property or properly backfilled Prior to removal or abandoment, owner must contact the Division of Waste Management at 494-3768 ( ) Soil percolation tests, have been, must be, conducted.  ( ) The results are valid until ( ) Soil percolation tests, have been, must be, conducted.  ( ) Soil percolation tests, have been, must be, conducted.  ( ) Mere water wells are to be used as a source of water supply, a well meeting the minimum Baltimor Co	ar Pl	new health care facilities, complete plans and specifications of the building, food service as and type of equipment to be used for the food service operation must be submitted to the ans Review and Approval Section, Division of Engineering and Maintenance, State Department of
pertaining to health and safety; two (2) copies of plans and specifications must be submitted to the Baltimore County Depertment of Environmental Protection and Resource Management for review and approval. For more complete information, contact the Recreational Hygiene Section, Bure of Regional Community Services, 494-3811.  ( ) Prior to approval for a nursery school, owner or applicant must comply with all Baltimore Count regulations. For more complete information, contact the Division of Maternal and Child Realt!  ( ) If lubrication work and oil changes are performed at this location, the method providing for the elimination of waste oil must be in accordance with the State Department of the Environment.  ( ) Prior to razing of existing atructure/s, petitioner must contact the Division of Waste Management at 494-3768, regarding removal and/or disposal of potentially hazardous materials and solid wastes Petitioner must contact the Bureau of Air Quality Management regarding removal of asbestos, 494-377.  ( ) Any abandoned underground storage tanks containing geoine, waste oil, solvents, etc., must have the contents removed by a licensed hauler and tank removed from the property or properly backfilled Prior to removal or abandonment, owner must contact the Division of Waste Management at 494-3768.  ( ) Soil percolation tests, have been, must be, conducted.  ( ) The results are valid until, must be, conducted.  ( ) The results are to be used as a source of water supply, a well meeting the minimum Baltimor County Standards must be drilled.  ( ) Mall be valid until, the property of property and approval of Building Permit Applications.  ( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples.  ( ) If submission of plans to the County Review Group is required, a Hydrogeological Study and an Environmental Effects Report must be submitted.	( ) Pr	alth and Mental Hygiene for review and approval. For to any new construction or substantial alteration of public swimming pool, wading pool, thhouse, saunas, whirlpools, hot tubs, water and sewerage facilities or other appurtenances
of Regional Community Services, 494-3811.  ( ) Prior to approval for a nursery school, owner or applicant must comply with all Baltimore Count regulations. For more complete information, contact the Division of Maternal and Child Health ( ) If lubrication work and oil changes are performed at this location, the method providing for the elimination of waste oil must be in accordance with the State Department of the Environment.  ( ) Prior to rawing of existing structure/s, petitioner must contact the Division of Waste Management at 494-3768, regarding removal and/or disposal of potentially hazardous materials and solid waster Petitioner must contact the Bureau of Air Quality Management regarding removal of asbestos, 494-377.  ( ) Any abandoned underground storage tanks containing gasoline, waste oil, solvents, etc., must have the contents removed by a licensed hauler and tank removed from the property or properly backfilled Prior to removal or abandonment, owner must contact the Division of Waste Management at 494-3768.  ( ) Soil percolation tests, have been, must be, conducted.  ( ) The results are valid until, conducted.  ( ) Soil percolation tests, have been, must be, conducted.  ( ) Soil percolation tests results have expired. Petitioner should contact the Division of Water and Sewer to determine whether additional tests are required.  ( ) Where water wells are to be used as a source of water supply, a well meeting the minimum Baltimor County Standards must be drilled.  ( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test  ( ) shall be valid until	pe to an	rtaining to health and safety; two (2) copies of plans and specifications must be submitted the Baltimore County Department of Environmental Protection and Resource Management for review i approval. For more complete information, contact the Recrestional Hygiene Section, Rureau
( ) If lubrication work and oil changes are performed at this location, the method providing for the elimination of waste oil must be in accordance with the State Department of the Environment.  ( ) Prior to razing of existing structure/s, petitioner must contact the Division of Waste Management at 494-3768, regarding removal and/or disposal of potentially hazardous materials and solid waster Petitioner must contact the Bureau of Air Quality Management regarding removal of asbestos, 494-377.  ( ) Any abandoned underground storage tanks containing gasoline, waste oil, solvents, etc., must have the contents removed by a licensed hauler and tank removed from the property or properly backfilled Prior to removal or abandonment, owner must contact the Division of Waste Management at 494-3768.  ( ) Soil percolation tests, have been, must be, conducted.  ( ) The results are valid until, must be, conducted.  ( ) Soil percolation test results have expired. Fettioner should contact the Division of Water and Sewer to determine whether additional tests are required.  ( ) Where water wells are to be used as a source of water supply, a well meeting the minimum Baltimor County Standards must be drilled.  ( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test (      ) shall be valid until (      ) is not acceptable and must be retested. This must be accomplished prior to conveyance of property and approval of Building Permit Applications.  ( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples.  ( ) If submission of plans to the County Review Group is required, a Hydrogeological Study and an Environmental Effects Report must be submitted.	of ( ) Pr	Regional Community Services, 494-3811. For to approval for a nursery school, owner or applicant must comply with all Baltimore County
<ul> <li>( ) Prior to razing of existing structure/s, petitioner must contact the Division of Waste Managemer at 494-3768, regarding removal and/or disposal of potentially hazardous materials and solid waster Petitioner must contact the Bureau of Air Quality Management regarding removal of asbestos, 494-377.</li> <li>( ) Any abandoued underground storage tanks containing gasoline, waste oil, solvents, etc., must have the contents removed by a licensed hauler and tank removed from the property or properly backfilled. Prior to removal or abandonment, owner must contact the Division of Waste Management at 494-3768.</li> <li>( ) Soil percolation tests, have been, must be, conducted. ( ) The results are valid until ( ) Soil percolation test results have expired. Petitioner should contact the Division of Water and Sewer to determine whether additional tests are required.</li> <li>( ) Where water wells are to be used as a source of water supply, a well meeting the minimum Baltimor County Standards must be drilled.</li> <li>( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test ( ) shall be valid until ( ) is not acceptable and must be retested. This must be accomplished prior to conveyance of property and approval of Building Permit Applications.</li> <li>( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples.</li> <li>( ) If submission of plans to the County Review Group is required, a Hydrogeological Study and Environmental Effects Report must be submitted.</li> </ul>	( ) If el	lubrication work and oil changes are performed at this location, the method providing for the mination of waste oil must be in accordance with the State Department of the Environment.
<ul> <li>( ) Any abandoned underground storage tanks containing gasoline, waste oil, solvents, etc., must have the contents removed by a licensed hauler and tank removed from the property or properly backfilled Prior to removal or abandonment, owner must contact the Division of Waste Management at 494-3768</li> <li>( ) Soil percolation tests, have been, must be, conducted.</li> <li>( ) The results are valid until, must be, conducted.</li> <li>( ) Soil percolation test results have expired. Petitioner should contact the Division of Water and Sewer to determine whether additional tests are required.</li> <li>( ) Where water wells are to be used as a source of water supply, a well meeting the minimum Baltimor County Standards must be drilled.</li> <li>( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test</li> <li>( ) shall be valid until</li></ul>	( ) Pr	for to razing of existing structure/s, petitioner must contact the Division of Waste Management 494-3768, regarding removal and/or disposal of potentially hazardous materials and solid wastes.
( ) Soil percolation tests, have been, must be, conducted. ( ) The results are valid until, conducted. ( ) Soil percolation test results have expired. Petitioner should contact the Division of Water and Sewer to determine whether additional tests are required. ( ) Where water wells are to be used as a source of water supply, a well meeting the minimum Baltimor County Standards must be drilled. ( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test ( ) shall be valid until ( ) is not acceptable and must be retested. This must be accomplished prior to conveyance of property and approval of Building Permit Applications. ( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples. ( ) If submission of plans to the County Review Group is required, a Hydrogeological Study and an Environmental Effects Report must be submitted.	( ) Any	abandoned underground storage tanks containing gasoline, waste oil, solvents, etc., must have contents removed by a licensed hauler and tank removed from the property or property hackfulled
( ) Soil percolation test results have expired. Petitioner should contact the Division of Water and Sewer to determine whether additional tests are required.  ( ) Where water wells are to be used as a source of water supply, a well meeting the minimum Baltimor County Standards must be drilled.  ( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test ( ) shall be valid until ( ) is not acceptable and must be retested. This must be accomplished prior to conveyance of property and approval of Building Permit Applications.  ( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples.  ( ) If submission of plans to the County Review Group is required, a Hydrogeological Study and an Environmental Effects Report must be submitted.	, Pr.	or to removal or abandonment, owner must contact the Division of Waste Management at 494-3768.  1 percolation tests, have been, must be, conducted.  1 The results are valid until
( ) In accordance with Section 13-117 of the Baltimore County Code, the water well yield test	. (	) Soil . percolation test results have expired. Petitioner should contact the Division of er and Sewer to determine whether additional tests are required.
( ) shall be valid until ( ) is not acceptable and must be retested. This must be accomplished prior to conveyance of property and approval of Building Permit Applications.  ( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples.  ( ) If submission of plans to the County Review Group is required, a Hydrogeological Study and ar Environmental Effects Report must be submitted.	Col	nty Standards Bust be drilled.
<ul> <li>( ) Prior to occupancy approval, the potability of the water supply must be verified by collection of bacteriological and chemical water samples.</li> <li>. ( ) If submission of plans to the County Review Group is required, a Hydrogeological Study and an Environmental Effects Report must be submitted.</li> </ul>	440000	) is not acceptable and must be retested. This must be accomplished prior to conveyance
Environmental Effects Report must be submitted.	OI.	or to occupancy approval, the potability of the water supply must be verified by collection bacteriological and chemical water samples.
( ) Others	FIIA	tronmental affects Report must be submitted.
	( ) Och	· · · · · · · · · · · · · · · · · · ·
	• —	

Baltimore County Department of Public Works Bureau of Traffic Engineering Courts Building, Suite 405 Towson, Maryland 21204 March 2, 1988



Mr. J. Robert Haines Zoning Commissioner County Office Building Towson, Maryland 21204

Dear Mr. Haines:

Item No. 279 Property Owner:

Location: Existing Zoning:

Steve Dellis, et ux ES North Point Blvd. 809' (+ or -) N of Battle Grove Road Variance to permit a side yard setback of Proposed Zoning: 7' in lieu of the required 30' and a Special Hearing to permit existing tavern

District:

Access to this site is from a State road and should meet all the State Highway Administration's standards.

> Michael S. Flanigan Traffic Engineer Associate II

Meeting of February 16, 1988

as a nonconforming use. 2.87 acres (+ or -)

15th Election District

MSF/pml-b



BUREAU OF WATER QUALITY AND RESOURCE MANAGEMENT

To: Baltimore County Zoning Commissioner Re: Case # 88-424-SPHA

Dear Commissioner.

I am the owner of the property located at 4014-16 North Point Boulevard, situated immediately north of the subject property. I understand that the petitioner is planning to construct an addition to the side of the existing tavern within 7' of my property line and this is the reason for the zoning hearing before you. I have no objection to the size of and the location of this addition. Therefore, I support the requested variance.

7-1488

PETITIONER'S

PLANT PLANT PARTY PART

To: Baltimore County Zoning Commissioner

Re: Case # 88-424-SPHA

Dear Commissioner,

Please be advised that since 1954 I have lived at 4020 North Point Boulevard located to the rear of the tavern, which is the subject of the zoning hearing before you. The use of the existing tavern has always been as a tavern continuously since 1954. There has never been any abandonment of this use in that time. I have acted as caretaker and watch person ever since the business has been in operation. I am the original owner of the property but have since

Sincerely,

sold to Marcella Dellis.

Enna Dawsburk
PETITIONER'S EXHIBIT 3

Zullemore Centy m 21222 my Comm Gp 7-1-1990 To: Baltimore County Zoning Commissioner

Re: Case # 88-424-SPHA

Dear Commissioner,

Please be advised that I am the present owner of the property located at 4020 North Point Boulevard, the subject of the zoning hearing before you. I have no objections to the present tenants plans to construct an addition to the side of the existing tavern.

The tenants to the rear of the tavern will continue to act as caretakers and watch persons of the property as they have since the business has been in existence.

Sincerely,

Subscribed and sworn to me, in try presence, this 2 day of April 19\_\_\_, a Notary Public in and Br

PETITIONER'S EXHIBIT 2

92	SERDING TO SNAPS	G8.5-78
	ATHEORY COUNTY, MUNICIPALITY	mber DP- 124360 8/23/88
PAYEE'S NAME AND ADDRESS	DESCRIPTION	CHECK AMOUNT
	Defined of Cont.	
icholas E. Commodari	Refund of Zoning Appeal Funds	\$90.00
Nicholas E. Commodari 3607 Bonview Avenue	(Appeal withdrawn - Zoning Case	\$90.00

VENDOR SOCIAL SECURITY ACCOUNT NUMBER		ACCOUNT NUMBER	EXP. CODE		EHC.	PURCHASE ORDER	AMOUNT		THANS
	001-006-6150					\$90.00			
•									
			1						
· .			1						
			1					П	
			1						
			1						
		.25	1						
			1						
			1				7		
	T		1						

·					::		1				
					',						
								-			
	ex	RNSIONS	VERM	FIED	DISBUS	SEMENT APPRO	VE0	T			
REQUESTED BY:	APPROVED FOR PAYMENT:										
oning Office (Charlotte Radcliffe)		<del>-</del>		· ·				• •			
Send Check to Above Department		<b></b>	-								
Mail Check to Payee	Q.P.	la-	4	-//	ines	<del>&amp;</del> 23	<del></del>	ै			
Enclosure to be Mailed With Check	J. RO		991 Z CD	SIGNATURE	•	COMMISSI	PAYE				

I Marcella Dellis, and Steven Dellis would like to dismiss the appeal for case # 88-424-SPHA made on July 11, 1988 and would like to submit the new drawings which are 25% of the tavern located at 4020 North Point Boulevard, Baltimore, Maryland 21222 for your approval.

ZONING LIFFICE 88-424

